





**STRONG FOUNDATIONS FOR
INSPIRED DESIGNS**



TESTED TO
5,00,000
CYCLES




AFS-8400
Double Spring
Floor Hinge



TESTED TO
5,00,000
CYCLES




AFS-9400
Double Spring
Floor Hinge




TESTED TO
5,00,000
CYCLES




AFS-7400
Single Spring
Floor Hinge



TESTED TO
500000
CYCLES




AFS-6400
Single Spring
Floor Hinge



AFS-ACC-TP/BP
Single Spring
Floor Hinge



TESTED TO
500000
CYCLES



AFS-10400
Double Spring
Floor Hinge



APS-9400 Set
(With Patch Lock) 150Kg.
Double Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



AFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APS-8400 Set
(With Patch Lock) 120Kg.
Double Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



AFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APS-7400 Set
(With Patch Lock) 90Kg.
Single Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



AFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APF-10
Bottom Patch



APF-20
Top Patch



AF-40
Over Panel Side Panel
Connecting Patch With Pivot (big L)



APF-90
Corner Patch Lock
With Strike Plate



APF-610
Over Panel Side Panel
Patch Connector (small L)



APF-511
Wall Mounted Over Panel
Patch with Pivot (Over Panel)



APF-640
Wall to Glass Connecting
Patch



APF-650
Glass to Glass Connecting
Patch With Wall / Ceiling




APF-620
Quadruple Patch



APF-610ST
Over Panel Side Panel
Patch Connector with Stopper



APF-620F
Quadruple Patch With Fin



APL-2A
Centre Patch Lock



APF-41L
Over Panel Side Panel
Connector with Fin (Left)



APF-41R
Over Panel Side Panel
Connector With Fin (Right)



APF-51
Double Over Panel
Patch With Fin



APF-61
Double Over Panel Patch



APF-650F
Connector With Fin



APF-610L/R
Triple Glass Patch
Connector With Fin (Left/Right)



APL-2B
Centre Lock Strike Box



AFS-ACC-TP/BP
Top Pivot/Bottom Pivot for
Wooden/Aluminium Doors



APL-2B
Top Pivot for Patch
Fittings Doors



AFS-MFH
Mini Floor Hinge



AGDS
Glass Door Stopper


SHOWER KNIGHT HEAD ACCESSORIES SS / BRASS



CANOPY FITTING



SHOWER KNIGHT (SQUARE SERIES)



ROLLER SLIDING SYSTEM SET

PLASTIC BODY SMALL COIN



OFFICE SLIDING SYSTEM SET 22A



SHOWER SLIDING SYSTEM 11A SET

CP Finish
ASS-11-A1 - 2 Big Roller & 2 Small Roller,
ASS-11-A2 - 2 Track to Glass Holder
ASS-11-A3 - 2 Stopper, **ASS-11-A4-1** Floor Guide
ASS-1 - 2 Wall to Track Connector, **ASL-HN-50-1** Sliding Handle





Knob Clamp Sliding Roller (SS)

Track Mounting Bracket (L/R)

Door Stopper

Wall to wall Single Door

Single Door Set :
Knob Clamp Sliding Roller-2Pcs.
Track Mounting Bracket-2Pcs.
Door Stopper-2Pcs.
Floor Guide 1Pcs.



Floor Guide

Sliding Track Extra (Aluminium)

Track Corner Joint Extra

Fastner

Corner Entry Double Door


Double Door Set :
Knob Clamp Sliding Roller-4Pcs.
Track Mounting Bracket-2Pcs.
Door Stopper-4Pcs.
Floor Guide 2Pcs.




ASL-44-A5
Wall to Track Clamp

ASL-HN-50
Sliding Handle (Dia 50mm)


ASL-HN-60
Sliding Handle (Dia 50mm)




ASL-HN-70
Sliding Handle (Square)




ASL-HN-80
Sliding Handle (Rectangle)



ASL-44-B1
Aluminium Track (Single Door)
Available in 8, 10 & 13 Ft.




ASL-44-B2
Aluminium Track (Double Door)
Available in 8, 10 & 13 Ft.



ASL-44-B3
Aluminium Track (Door + Fix Glass)
Available in 8, 10 & 13 Ft.

ACCESSORIES FOR SLIDING DOORS



BUTTERFLY HINGE




SLIM MAGNETIC LOCK




PROFILE TELESCOPIC SLIDING SYSTEM (ACCESSORIES FOR FITTING)



AGP-111
Automatic Corner Jointer



APTS-109
Profile Sliding Handle



APTS-110
Profile Sliding Handle with Lock

SLIDING FOLDING SYSTEM

- Maximum weight per door : 70kg • Maximum width per door : 900mm
- Maximum height per door : 2500mm • Suitable for 8 to 10mm glass thickness



ASF-6
Glass to Glass Center Hinge



ASF-9
Wall to Glass Hinge



ASF-10
Center Hinge with Roller



ASF-11
End Hinge with Roller



ASF-12
Glass to Glass Center Hinge with Guide



ASF-13 L/R
Glass to Glass Center Hinge with Lock



ASF-14
End Hinge with Guide



ASF-16
Fixed Hinge



ASF-17
Floor Fixed Hinge




ASF-18 L/R
End Panel Fitting with Bottom Pivot




ASF-19
Floor Track Bottom (S.S.)



ASF-20
Aluminum Track (Top)



CENTER SLIDING FOLDING SYSTEM



ACSF-1
Folding Door Roller



ACSF-2
Glass to Wall Hinge



ACSF-3
Glass to Glass Hinge




ACSF-LK
Sliding Glass Door Lock



ACSF-5
Knob Sleeve



ACSF-6
Aluminum Track



SHOWER HINGES

MATERIAL : SS 304, DOOR THICKNESS : 8MM-12MM,
WEIGHT CAP. : 45KG, FINISH : CHROME PLATED



ASH-101 H/P
Wall to Glass
90° Off Set Hinge



ASH-101
Wall to Glass
90° Hinge



ASH-102
Glass to Glass
180° Hinge



ASH-103
Glass to Glass
135° Hinge



ASH-104
Glass to Glass
90° Hinge



ASH-105
Wall to Glass
90° Fix Hinge



GLASS CONNECTORS

Material : SS 304, Door Thickness : 8mm-12mm,
Weight Cap. : 45kg, Finish : Chrome Plated, Product Thickness : 3mm



AGC-1
Uconnector



AGC-2
Glass to Glass 135°



AGC-3
Glass to Glass 90°



AGC-4
L Connector



AGC-5
Glass to Glass 180°



AGC-1 R
Uconnector



AGC-2 R
Glass to Glass 135°



AGC-3 R
Glass to Glass 90°



AGC-4 R
L Connector



AGC-5 R
Glass to Glass 180°

PLASTIC PROFILES


For Glass : 8mm-12mm, Size. : 2.2mtr./2.5mtr.,
Finish : Transparent, Material : PVC



AGC-6
T-Connector
Glass to Glass 90°



AHC-106
Double Glass T Hinge



SPIDER FITTING
SPIDER WITHOUT FIN



ASP-B1
One Way Spider
Without Fin



ASP-B2 (90°)
Two Way Spider 90°
Without Fin



ASP-B2 (180°)
Two Way Spider 180°
Without Fin



ASP-B3
Three Way Spider
Without Fin



ASP-B4
Four Way Spider
Without Fin



ASP-B4 (90°)
Four Way Spider
Without Fin (90°)



SPLICE PLATES



ASP-200
Splice Plate (200mm)



ASP-250
Splice Plate (250mm)



ASP-300
Splice Plate (300mm)



ASP-350
Splice Plate (350mm)

ARTICULATED ROUTEL



ASP-AFB 36FL
Articulated Routel
(Flat Head)



ASP-FB FL
Fixed Routel (Flat Head)



ASP-AFB 36CS
Articulated Routel
(Counter Sunk Hole)



ASP-FB CS
Fixed Routel
(Counter Sunk)



ASP-01
Iron Assembly

SPIDER WITH FIN



ASP-A4
Four Way Spider



ASP-A44
Two Way Spider (Wall Mounted)



ASP-A2
Two Way Spider



ASP-A22
One Way Spider (Wall Mounted)

FIN PLATE



ASP-200
Fin Plate (200mm)




ASP-300
Fin Plate (300mm)



ASP-350
Fin Plate (350mm)



AP-400
Fin Plate (400mm)



Features and Advantages

1. Wide range of power-supply operation.
2. Intelligent control system.
3. Drive equipment with low noise.
4. Advanced brushless motor and worm wheel reducer are integrated.
5. Special self-locking function without any addition components.
6. With different triggered operating modes.
7. Double door interlock function.
8. Optional backup power supply to ensure the normal operation.
9. When door is closed, it shall be locked and kept closed.
10. Apply to door for garage, usage of anti-radiation for hospitals, warehoused, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
11. To connect with safety and security system.
12. Easy installation & easy maintenance.
13. Track size : 4200mm / 6400mm.

LOCKS WITHOUT CUTOUT



ALK-1 (D-Lock)
Double Door Lock
(Only Key) Glass to Glass



ALK-2 (D-Lock)
Single Door Lock
(Only Key) Wall to Glass



ALK-3 (D-Lock)
Double Door Lock
(Key & Knob) Glass to Glass



ALK-4 (D-Lock)
Single Door Lock
(Key & Knob) Wall to Glass



ALK-5 (Slot Type)
Double Door Lock
(Only Key) Glass to Glass



ALK-6 (Slot Type)
Single Door Lock
(Only Key) Wall to Glass



ALK-9 (Slot Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



ALK-10 (Slot Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



ALK-11 (Pin Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



ALK-12 (Pin Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



ALK-13 (Pin Type)
Double Door Lock
(Only Key) Glass to Glass



ALK-14 (Pin Type)
Single Door Lock
(Only Key) Wall to Glass



ALK-15 (Pin Type)
Double Door Lock
(Only Knob) Glass to Glass



ALK-16 (Pin Type)
Single Door Lock
(Only Knob) Wall to Glass



ALK-17 (Pin Type)
Mini Double Door Lock
(Only Knob) Glass to Glass



ALK-18 (Pin Type)
Mini Single Door Lock
(Only Knob) Wall to Glass



ALK-19
Mortise Double
Door Lock



ALK-20
Mortise Single
Door Lock



ALK-21
Sliding Door Lock



ALK-22
Sliding Door Lock with Strike Plate



DOOR HANDLES WITH LOCK

								
ADHL-55 SIZE 35X1500	ADH-06 SIZE 32x302x450	ADH-07 SIZE 25x302x327	ADH-08 SIZE 38x450x600	ADH-09 SIZE 25/45x302x450 25/45x450x600	ADH-10 SIZE 25/45x302x450	ADH-01 SIZE 25x302x327 32x450x482 25x150x175 25x200x225 25x250x275	ADH-02 SIZE 25/25x302x327	ADH-03 (Adjustable) SIZE 32x302x450 32x450x600 32x600x900 32x900x1200
								
ADH-11 SIZE 25/38x302x450	ADH-12 SIZE 38x302x450	ADH-13 SIZE 32x302x450	ADH-14 SIZE 32x302x450 38x302x450	ADH-15 SIZE 32x302x450	ADH-04 SIZE 32x302x450	ADH-05 SIZE 38x302x450	ADH-10A SIZE 32x302x450 32x450x600 32x600x900 32x900x120 32x1200x1500	



ADH-TB-01
SIZE
19X152X457
25X152X457



ADH-TB-02
SIZE
15/30X152X457
25/25X152X457



ADK-1
Door Knob



ADK-2
Door Knob



ADK-3
Door Knob



ADK-4
Door Knob

GLASS RAILING ACCESSORIES



ARA-1 (Spigot)
9"



ARA-2 (Spigot)
4" Fix with
Rectangle Plate



ARA-3 (Spigot)
4" Expandable
with Round Plate



ARA-4 (Spigot)
8" Expandable
with Round Plate



ARA-6
Glass to Handrail
(Adjustable)



ARA-7
Glass to Handrail
(Fix)

GLASS RAILING ACCESSORIES



ARA-9
Railing Stud 45mm



ARA-10
Railing Stud 45mm




ARA-11
Glass Adjustable Stud



ARA-12
Glass Adjustable Stud

'U' CHANNEL



AGPL-2
'U' Channel
(For Fixed Glass)
Finish : CP/SS/Rose Gold
Available in 3.4 Mtr.
Thickness : 1.5mm

GLASS RAILING ACCESSORIES



AGL-1C
Glass Lifter
with Single Cup



AGL-2C
Glass Lifter
with Two Cup



AGL-3C
Glass Lifter
with Three Cup



PRODUCT PHOTOS SHOWN IN CATALOGUE ARE ONLY THE VISUAL AND MAY BE DIFFER FROM ORIGINAL.
THE TECHNICAL PRESENTATION AND DIMENSION IN ILLUSTRATIONS AND DRAWING SHOWN ARE FOR REFERENCE ONLY.
PLEASE REFER THE ORIGINAL PRODUCT FOR TOUGHEN GLASS CUTOUT.