



DESIGNS THAT **REFLECT**
STRENGTH AND **STYLE**

PRODUCT CATALOGUE **2025**




AFS-8400
Double Spring
Floor Hinge



AFS-9400
Double Spring
Floor Hinge



AFS-7400
Single Spring
Floor Hinge



AFS-6400
Single Spring
Floor Hinge



AFS-ACC-TP/BP
Single Spring
Floor Hinge



AFS-10400
Double Spring
Floor Hinge



APS-9400 Set
(With Patch Lock) 150Kg.
Double Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



APFFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APS-8400 Set
(With Patch Lock) 120Kg.
Double Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



AFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APS-7400 Set
(With Patch Lock) 90Kg.
Single Spring Floor Hinge



APF-10
Top Patch



APF-20
Bottom Patch



AFS-ACC-GDP
Top Pivot for Patch
Fitting Doors



APL-90
Corner Patch Lock



ADF-104
H Handle



APF-10
Bottom Patch

APF-20
Top Patch



APF-40
Over Panel Side Panel
Connecting Patch With Pivot (big L)

APF-90
Corner Patch Lock
With Strike Plate



APF-610
Over Panel Side Panel
Patch Connector (small L)



APF-511
Wall Mounted Over Panel
Patch with Pivot (Over Panel)



APF-640
Wall to Glass Connecting
Patch



APF-650
Glass to Glass Connecting
Patch With Wall / Ceiling




APF-620
Quadruple Patch



APF-610ST
Over Panel Side Panel
Patch Connector with Stopper



APF-620F
Quadruple Patch With Fin



APL-2A
Centre Patch Lock



APF-41L
Over Panel Side Panel
Connector with Fin (Left)



APF-41R
Over Panel Side Panel
Connector With Fin (Right)



APF-51
Double Over Panel
Patch With Fin



APF-61
Double Over Panel Patch




APF-650F
Connector With Fin



APF-610L/R
Triple Glass Patch
Connector With Fin (Left/Right)



APL-2B
Centre Lock Strike Box



AFS-ACC-TP/BP
Top Pivot/Bottom Pivot for
Wooden/Aluminium Doors



APL-2B
Top Pivot for Patch
Fittings Doors



AFS-MFH
Mini Floor Hinge



AGDS
Glass Door Stopper




SHOWER KNIGHT HEAD ACCESSORIES SS / BRASS



SHOWER KNIGHT (SQUARE SERIES)



CANOPY FITTING



ROLLER SLIDING SYSTEM SET

PLASTIC BODY SMALL COIN



OFFICE SLIDING SYSTEM SET 22A



SHOWER SLIDING SYSTEM 11A SET

CP Finish
ASS-11-A1 - 2 Big Roller & 2 Small Roller,
ASS-11-A2 - 2 Track to Glass Holder
ASS-11-A3 - 2 Stopper, **ASS-11-A4-1** Floor Guide
ASS-1 - 2 Wall to Track Connector, **ASL-HN-50-1** Sliding Handle





Knob Clamp Sliding Roller (SS)

Track Mounting Bracket (L/R)



Door Stopper

Wall to wall Single Door

Single Door Set :
Knob Clamp Sliding Roller-2Pcs.
Track Mounting Bracket-2Pcs.
Door Stopper-2Pcs.
Floor Guide 1Pcs.



Floor Guide

Sliding Track Extra (Aluminium)



Track Corner Joint Extra



Fastner

Corner Entry Double Door

Double Door Set :
Knob Clamp Sliding Roller-4Pcs.
Track Mounting Bracket-2Pcs.
Door Stopper-4Pcs.
Floor Guide 2Pcs.




ASL-44-A5
Wall to Track Clamp



ASL-HN-50
Sliding Handle (Dia 50mm)




ASL-HN-60
Sliding Handle (Dia 50mm)




ASL-HN-70
Sliding Handle (Square)




ASL-HN-80
Sliding Handle (Rectangle)



ASL-44-B1
Aluminium Track (Single Door)
Available in 8, 10 & 13 Ft.




ASL-44-B2
Aluminium Track (Double Door)
Available in 8, 10 & 13 Ft.



ASL-44-B3
Aluminium Track (Door + Fix Glass)
Available in 8, 10 & 13 Ft.

ACCESSORIES FOR SLIDING DOORS



BUTTERFLY HINGE




SLIM MAGNETIC LOCK



PROFILE TELESCOPIC SLIDING SYSTEM (ACCESSORIES FOR FITTING)



AGP-111
Automatic Corner Jointer



APTS-109
Profile Sliding Handle



APTS-110
Profile Sliding Handle with Lock





SLIDING FOLDING SYSTEM

- Maximum weight per door : 70kg • Maximum width per door : 900mm
- Maximum height per door : 2500mm • Suitable for 8 to 10mm glass thickness



CENTER SLIDING FOLDING SYSTEM





ASH-101 H/P
Wall to Glass
90° Off Set Hinge



ASH-101
Wall to Glass
90° Hinge



ASH-102
Glass to Glass
180° Hinge



ASH-103
Glass to Glass
135° Hinge



ASH-104
Glass to Glass
90° Hinge



ASH-105
Wall to Glass
90° Fix Hinge



GLASS CONNECTORS


Material : SS 304, Door Thickness : 8mm-12mm,
Weight Cap. : 45kg, Finish : Chrome Plated, Product Thickness : 3mm



AGC-1
Uconnector



AGC-2
Glass to Glass 135°



AGC-3
Glass to Glass 90°



AGC-4
L Connector



AGC-5
Glass to Glass 180°



AGC-1 R
Uconnector



AGC-2 R
Glass to Glass 135°



AGC-3 R
Glass to Glass 90°



AGC-4 R
L Connector



AGC-5 R
Glass to Glass 180°

PLASTIC PROFILES

For Glass : 8mm-12mm, Size. : 2.2mtr./2.5mtr.,
Finish : Transparent, Material : PVC



APS-1 Centre Seal
8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



APS-2 Side Seal
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)




APS-5
Water Dispersal seal
8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



APS-M1 180°
88mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



CWPS-3 D Seal
88mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



APS-4
Sliding Door Seal
88mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



APS-M2 135°
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



APS-M3 90°
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



AGC-6
T-Connector
Glass to Glass 90°



AHC-106
Double Glass T Hinge



ASP-B1
One Way Spider
Without Fin



ASP-B2 (90°)
Two Way Spider 90°
Without Fin



ASP-B2 (180°)
Two Way Spider 180°
Without Fin



ASP-B3
Three Way Spider
Without Fin



ASP-B4
Four Way Spider
Without Fin



ASP-B4 (90°)
Four Way Spider
Without Fin (90°)

SPIDER WITH FIN



ASP-A4
Four Way Spider



ASP-A44
Two Way Spider (Wall Mounted)



ASP-A2
Two Way Spider



ASP-A22
One Way Spider (Wall Mounted)

FIN PLATE



ASP-200
Fin Plate (200mm)



ASP-300
Fin Plate (300mm)



ASP-350
Fin Plate (350mm)



ASP-400
Fin Plate (400mm)

SPLICE PLATES



ASP-200
Splice Plate (200mm)



ASP-250
Splice Plate (250mm)



ASP-300
Splice Plate (300mm)



ASP-350
Splice Plate (350mm)

ARTICULATED ROUTEL



ASP-AFB 36FL
Articulated Routel
(Flat Head)



ASP-FB FL
Fixed Routel (Flat Head)




ASP-AFB 36CS
Articulated Routel
(Counter Sunk Hole)



ASP-FB CS
Fixed Routel
(Counter Sunk)



ASP-01
Iron Assembly



Features and Advantages

1. Wide range of power-supply operation.
2. Intelligent control system.
3. Drive equipment with low noise.
4. Advanced brushless motor and worm wheel reducer are integrated.
5. Special self-locking function without any addition components.
6. With different triggered operating modes.
7. Double door interlock function.
8. Optional backup power supply to ensure the normal operation.
9. When door is closed, it shall be locked and kept closed.
10. Apply to door for garage, usage of anti-radiation for hospitals, warehoused, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
11. To connect with safety and security system.
12. Easy installation & easy maintenance.
13. Track size : 4200mm / 6400mm.



LOCKS WITHOUT CUTOUT




ALK-1 (D-Lock)
Double Door Lock
(Only Key) Glass to Glass



ALK-2 (D-Lock)
Single Door Lock
(Only Key) Wall to Glass



ALK-3 (D-Lock)
Double Door Lock
(Key & Knob) Glass to Glass



ALK-4 (D-Lock)
Single Door Lock
(Key & Knob) Wall to Glass



ALK-5 (Slot Type)
Double Door Lock
(Only Key) Glass to Glass



ALK-6 (Slot Type)
Single Door Lock
(Only Key) Wall to Glass



ALK-9 (Slot Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



ALK-10 (Slot Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



ALK-11 (Pin Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



ALK-12 (Pin Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



ALK-13 (Pin Type)
Double Door Lock
(Only Key) Glass to Glass



ALK-14 (Pin Type)
Single Door Lock
(Only Key) Wall to Glass



ALK-15 (Pin Type)
Double Door Lock
(Only Knob) Glass to Glass



ALK-16 (Pin Type)
Single Door Lock
(Only Knob) Wall to Glass



ALK-17 (Pin Type)
Mini Double Door Lock
(Only Knob) Glass to Glass



ALK-18 (Pin Type)
Mini Single Door Lock
(Only Knob) Wall to Glass



ALK-19
Mortise Double
Door Lock



ALK-20
Mortise Single
Door Lock



ALK-21
Sliding Door Lock



ALK-22
Sliding Door Lock with Strike Plate



DOOR HANDLES WITH LOCK



ADH-05
SIZE
35X1500



ADH-06
SIZE
32x302x450



ADH-07
SIZE
25x302x327



ADH-08
SIZE
38x450x600



ADH-09
SIZE
25/45x302x450
25/45x450x600



ADH-10
SIZE
25/45x302x450



ADH-11
SIZE
25/38x302x450



ADH-12
SIZE
38x302x450



ADH-13
SIZE
32x302x450



ADH-14
SIZE
32x302x450
38x302x450



ADH-15
SIZE
32x302x450



ADH-01
SIZE
25x302x327
32x450x482
25x150x175
25x200x225
25x250x275



ADH-02
SIZE
25/25x302x327



ADH-03 (Adjustable)
SIZE
32x302x450
32x450x600
32x600x900
32x900x1200




ADH-04
SIZE
32x302x450



ADH-05
SIZE
38x302x450



ADH-104
SIZE
32x302x450 | 32x900x120
32x450x600 | 32x1200x1500
32x600x900





ADH-TB-01
SIZE
19X152X457
25X152X457



ADH-TB-02
SIZE
15/30X152X457
25/25X152X457



ADK-1
Door Knob



ADK-2
Door Knob



ADK-3
Door Knob



ADK-4
Door Knob

GLASS RAILING ACCESSORIES



ARA-1 (Spigot)
9"



ARA-2 (Spigot)
4" Fix with
Rectangle Plate



ARA-3 (Spigot)
4" Expandable
with Round Plate



ARA-4 (Spigot)
8" Expandable
with Round Plate



ARA-6
Glass to Handrail
(Adjustable)



ARA-7
Glass to Handrail
(Fix)

GLASS RAILING ACCESSORIES




AGL-1C
Glass Lifter
with Single Cup



AGL-2C
Glass Lifter
with Two Cup



AGL-3C
Glass Lifter
with Three Cup



GLASS RAILING ACCESSORIES



ARA-9
Railing Stud 45mm



ARA-10
Railing Stud 45mm




ARA-11
Glass Adjustable Stud



ARA-12
Glass Adjustable Stud

'U' CHANNEL



AGPL-2
'U' Channel (For Fixed Glass)
Finish : CP/SS/Rose Gold
Available in 3.4 Mtr., Thickness : 1.5mm





PRODUCT PHOTOS SHOWN IN CATALOGUE ARE ONLY THE VISUAL AND MAY BE DIFFER FROM ORIGINAL.
THE TECHNICAL PRESENTATION AND DIMENSION IN ILLUSTRATIONS AND DRAWING SHOWN ARE FOR REFERENCE ONLY.
PLEASE REFER THE ORIGINAL PRODUCT FOR TOUGHEN GLASS CUTOUT.