


CREZOR[®]

ARCHITECTURAL GLASS HARDWARE





PRODUCT CATALOGUE

Available Colours:




TESTED TO
5,00,000
CYCLES



CFS-8400
Double Spring Floor Hinge





TESTED TO
5,00,000
CYCLES




CFS-9400
Double Spring Floor Hinge




TESTED TO
5,00,000
CYCLES



CFS-7400
Single Spring Floor Hinge



TESTED TO
5,00,000
CYCLES




CFS-6400
Single Spring Floor Hinge




GFS-ACC-TP/BP
Top Pivot/Bottom Pivot for
Wooden/Aluminium Doors

HYDRAULIC PATCH



CHFS-100
Hydraulic Floor Hinge



HYDRAULIC PATCH SET



CHFS-100 (Set)
Hydraulic Floor Hinge



CPF-20
Top Patch



CFS-ACC-GDP
Top Pivot for Patch
Fittings Doors



Available Colours:



Black Matt

Gold

Rose Gold



CPF-10
Bottom Patch



CPF-20
Top Patch



CPF-40
Over Panel Side Panel
Connecting Patch with Pivot (Big L)



CPL-90
Corner Patch Lock
with Strike Plate



CPF-610
Over Panel Side Panel
Patch Connector (Small L)



CPF-511
Wall Mounted Over Panel
Patch with Pivot (Over Panel)



CPF-640
Wall to Glass Connecting
Patch



CPF-650
Glass to Glass Connecting
Patch with Wall/ ceiling



CPF-620
Quadruple Patch



CPF-610ST
Over Panel Side Panel Patch
Connector with Stopper



CPF-620F
Quadruple Patch with Fin



CPF-41L
Over Panel Side Panel
Connector with Fin (Left)



CPF-41R
Over Panel Side Panel
Connector with Fin (Right)



CPF-51
Double Over Panel
Patch with Fin



CPF-61
Double Over Panel Patch



CFS-ACC-GDP
Top Pivot for Patch
Fittings Doors



CPF-650F
Connector with Fin



CPL-2A
Centre Patch Lock



CPL-2B
Centre Lock Strike Box



CPF-610L/R
Triple Glass Patch Connector
with Fin (Left/Right)



CFS-MFH
Mini Floor Hinge




CGDS
Glass Door Stopper

COMBO PATCH SET



**CWPS-9400 Set
with Lock**
Double Spring Floor Hinge



CPF-20
Top Patch



CPF-10
Bottom Patch



CFS-ACC-GDP
Top Pivot for Patch
Fittings Doors



CPL-90
Corner Patch Lock

OR



CLK-3
Double Door Lock
(Key & Knob) Glass to Glass



CDH-104
H Handle



**CWPS-8400 Set
with Lock**
Double Spring Floor Hinge



CPF-20
Top Patch



CPF-10
Bottom Patch



CFS-ACC-GDP
Top Pivot for Patch
Fittings Doors



CPL-90
Corner Patch Lock

OR



CLK-3
Double Door Lock
(Key & Knob) Glass to Glass



CDH-104
H Handle



**CWPS-7400 Set
with Patch Lock**
Single Spring Floor Hinge



CPF-20
Top Patch



CPF-10
Bottom Patch



CFS-ACC-GDP
Top Pivot for Patch
Fittings Doors



CPL-90
Corner Patch Lock

OR



CLK-3
Double Door Lock
(Key & Knob) Glass to Glass



CDH-104
H Handle

Material : SS 304, Door Thickness : 8mm-12mm,
Weight Cap. : 45kg, Finish : Chrome Plated, Product Thickness : 3mm

Available Colours:



CGC-1
U Connector



CGC-2
Glass to Glass 135°



CGC-3
Glass to Glass 90°



CGC-4
L Connector



CGC-5
Glass to Glass 180°



CGC-1 R
U Connector



CGC-2 R
Glass to Glass 135°



CGC-3 R
Glass to Glass 90°



CGC-4 R
L Connector



CGC-5 R
Glass to Glass 180°

SHOWER HINGES

Material : SS 304, Door Thickness : 8mm-12mm,
Weight Cap. : 45kg, Finish : Chrome Plated



CSH-101 H/P
Wall to Glass
90° Off Set Hinge



CSH-101
Wall to Glass
90° Hinge



CSH-102
Glass to Glass
180° Hinge



CSH-103
Glass to Glass
135° Hinge



CSH-104
Glass to Glass
90° Hinge



CSH-105
Wall to Glass
90° Fix Hinge



CGC-6
T-Connector Glass to Glass 90°



CSH-106
Double Glass T Hinge




PLASTIC PROFILES

For Glass : 8mm-12mm, Size. : 2.2 mtr./ 2.5 mtr.,
Finish : Transparent, Material : PVC




CPS-1 Centre Seal
8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



CPS-2 Side Seal
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



CPS-3 D Seal
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)




CPS-4 Sliding Door Seal
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)


Magnetic Profiles




CPS-5 Water Dispersal Seal
8mm (2.2mtr.)
10mm (2.2mtr.)
12mm (2.2mtr.)



CPS-M1 180°
88mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



CPS-M2 135°
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



CPS-M3 90°
8mm (2.2mtr.)
10mm (2.2mtr. & 2.5mtr.)
12mm (2.2mtr. & 2.5mtr.)



SHOWER KNIGHT HEAD ACCESSORIES

Dia 19mm SS / BRASS

CREZOR®

ARCHITECTURAL GLASS HARDWARE

Available Colours:



CKH-1
Wall to Rod



CKH-2
Rod to Glass



CKH-3
Rod to Rod



CKH-4
Rod to Glass (One Side Blind)



CKH-5
Rod to Rod T Connector



CKH-ACC-19
Reinforcing Rod (Dia 19mm)

CANOPY FITTING



CCF-1
Wall to Glass Connector



CCF-2
Rod to Glass Connector



CCF-3
Wall to Rod Connector




CCF-ROD (16mm)
Canopy Rod



OFFICE SLIDING SYSTEM SET


Plastic Body Small Coin



CSL-44-A1 (Set)
Roller

CSL-44-A1 - 2 Rollers
CSL-44-A3 - 2 Stopper
CSL-44G - 1 Floor Guide


Metal Body Big Coin



CSL-44-A2 (Set)
Roller

CSL-44-A1 - 2 Rollers
CSL-44-A3 - 2 Stopper
CSL-44G - 1 Floor Guide

Metal Body Rectangle Patch



CSL-44-R8 (Set)
8 Wheel Rectangular Roller

CSL-44-A1 - 2 Rollers
CSL-44-A3 - 2 Stopper
CSL-44G - 1 Floor Guide



OFFICE SLIDING SYSTEM ACCESSORIES




CSL-44-A5
Wall to Track Clamp



CSL-HN-50
Sliding Handle (Dia 50mm)




CSL-HN-60
Sliding Handle (Dia 50mm)




CSL-HN-70
Sliding Handle (Square)




CSL-HN-80
Sliding Handle (Rectangle)



CSL-44-B1
Aluminium Track (Single Door)
Available in 8, 10 & 13 Ft.



CSL-44-B2
Aluminium Track (Double Door)
Available in 8, 10 & 13 Ft.



CSL-44-B3
Aluminium Track (Door+Fix Glass)
Available in 8, 10 & 13 Ft.

Available Colours:



SLIDING TRACK
11A



CSST-ACC-10/30
Connecting Track

CP Finish

CSS-11-A1 - 2 Big Roller & 2 Small Roller,
CSS-11-A2 - 2 Track to Glass Holder

CSS-11-A3 - 2 Stopper, CSS-11-A4 - 1 Floor Guide


CSS-1 - 2 Wall to Track Connector, CSL-HN-50 - 1 Sliding Handle



OFFICE SLIDING SYSTEM SET 22A




CSL-22A
Office Sliding Roller




CSL-22-TH-G2
Glass to Rod Clamp



CSL-22B
Door Stopper



CSL-22G
Floor Guide



Ø 25mm

CSL-ACC-25
Shower Sliding Pipe



JAGUAR SLIDING SYSTEM SET GSL-55




Knob Clamp Sliding Roller (SS)



Track Mounting Bracket (L/R)




Door Stopper



Floor Guide



Fastner



Sliding Track Extra
(Aluminium)



Wall to Wall Single Door

Single Door Set :

Knob Clamp Sliding Roller-2Pcs., Track Mounting Bracket-2Pcs.
Door Stopper-2 Pcs., Floor Guide1Pcs.



Corner Entry Double Door

Double Door Set :

Knob Clamp Sliding Roller-4Pcs., Track Mounting Bracket-2Pcs.
Door Stopper-4Pcs., Floor Guide-2Pcs.



Track Corner Joint Extra



Available Colours:



CDH-01

SIZE
25x302x327
32x450x482




CDH-02

SIZE
25/25x302x327



CDH-03(Adjustable)

SIZE
32x302x450
32x450x600



CDH-04

SIZE
32x302x450




CDH-05

SIZE
38x302x450




CDH-104

SIZE
32x302x450
32x450x600
32x600x900
32x900x1200
32x1200x1500



CDH-06

SIZE
32x302x450



CDH-07

SIZE
25x302x327



CDH-08

SIZE
38x450x600



CDH-09


SIZE
25/45x302x450
25/45x450x600



CDH-10

SIZE
25/45x302x450

DOOR HANDLE WITH LOCK



CDH-11

SIZE
25/38x302x450




CDH-12

SIZE
38x302x450



CDH-13

SIZE
32x302x450




CDH-14

SIZE
32x302x450
38x302x450



CDH-15

SIZE
32x302x450



CDHL-55

SIZE
35x1500

SHOWER HANDLE



CDH-TB-01

SIZE
19x152x457
25x152x457



CDH-TB-02

SIZE
15/30x152x457
25/25x152x457

DOOR KNOBS



CDK-1
Door Knob



CDK-2
Door Knob



CDK-3
Door Knob




CDK-4
Door Knob

Features : Telescopic Sliding System for Three Doors, Two Doors and Single Door, Suitable for Sliding Doors for Homes, Hotels, Office Buildings etc.
Space Saving, Good Decorative, Sliding Track: Aluminium Anodized, Hanging Roller: Zinc Alloy, SN.

Profile Telescopic Sliding System (Soft Close) Single Door Telescopic System




CPSS-100 (Soft Close)
Telescopic Sliding System (Single Door)



Profile Telescopic Sliding System (Soft Close) 2+1 Telescopic System




CPSS-101 (Soft Close)
Telescopic Sliding System (2 Door)



Profile Telescopic Sliding System (Soft Close) 3+1 Telescopic System




CPSS-102 (Soft Close)
Telescopic Sliding System (3 Door)




PROFILE SYNCHRONIZED SLIDING SYSTEM Profile Synchronized Sliding System (Soft Close) Single Door Both Side



CPSS-104 (Soft Close)
Profile Synchronized Sliding System



ACCESSORIES FOR FITTING OF SLIDING DOORS






PROFILE TELESCOPIC SLIDING SYSTEM (ACCESSORIES FOR FITTING)

CREZOR®

ARCHITECTURAL GLASS HARDWARE


Available Colours:




CPTS-104
Top Sliding Track



CPTS-105
Sliding Channel
Cover Plate




CPTS-106
Top and Bottom Channel




CPTS-107
Vertical Profile



CPTS-108
Adjustable Fix Connector
for Runner



CGP-104
Sticking Profile



CGP-105
Divider Profile



CGP-111
Profile Corner Jointer



CPTS-109
Profile Sliding Handle



CPTS-110
Profile Sliding Handle
with Lock

LOCKS WITHOUT CUTOUT



CLK-1
Double Door Lock
(Only Key) Glass to Glass



CLK-2 (W to G)
Single Door Lock
(Only Key) Wall to Glass



CLK-3
Double Door Lock
(Key & Knob) Glass to Glass



CLK-4
Single Door Lock
(Key & Knob) Wall to Glass



CLK-5 (Slot Type)
Double Door Lock
(Only Key) Glass to Glass



CLK-6 (Slot Type)
Single Door Lock
(Only Key) Wall to Glass



CLK-9 (Slot Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



CLK-10 (Slot Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



CLK-11 (Pin Type)
Mini Double Door Lock
(Key & Knob) Glass to Glass



CLK-12 (Pin Type)
Mini Single Door Lock
(Key & Knob) Wall to Glass



CLK-13
Double Door Lock
(Only Key) Glass to Glass



CLK-14
Single Door Lock
(Only Key) Wall to Glass



CLK-15 (Pin Type)
Double Door Lock
(Only Knob) Glass to Glass



CGLK-16 (Pin Type)
Single Door Lock
(Only Knob) Wall to Glass



CLK-17 (Pin Type)
Mini Double Door Lock
(Only Knob) Glass to Glass



CLK-18 (Pin Type)
Mini Single Door Lock
(Only Knob) Wall to Glass



CLK-19
Mortise Double Door Lock



CLK-20
Mortise Single Door Lock



CLK-21
Sliding Door Lock



CLK-22
Sliding Door Lock with Strike Plate



Available Colours:



Spider With Fin



CSP-A4
Four Way Spider



CSP-A44
Two Way Spider (Wall Mounted)



CSP-A2
Two Way Spider



CSP-A22
One Way Spider (Wall Mounted)

Spider Without Fin



CSP-B1
One Way Spider without Fin



CSP-B2 (90°)
Two Way Spider 90° without Fin



CSP-B2 (180°)
Two Way Spider 180° without Fin



CSP-B3
Three Way Spider without Fin



CSP-B4
Four Way Spider without Fin



CSP-B4 (90°)
Four Way Spider without Fin (90°)



ARTICULATED ROUTEL



CSP-AFB 36FL
Articulated Routel (Flat Head)



CSP-FB FL
Fixed Routel (Flat Head)



CSP-AFB 36CS
Articulated Routel (Counter Sunk Hole)



CSP-FB CS
Fixed Routel (Counter Sunk)



CWSP-01
Iron Assembly

FIN PLATES



CFP-200
Fin Plate (200mm)



CFP-300
Fin Plate (300mm)



CFP-350
Fin Plate (350mm)



CFP-400
Fin Plate (400mm)

SPLICE PLATES



CSP-200
Splice Plate (200mm)



CSP-250
Splice Plate (250mm)



CSP-300
Splice Plate (300mm)




CSP-350
Splice Plate (350mm)

Available Colours:




CASSD-1
Automatic Door Sensor



Features and advantages

1. Wide range of power-supply operation.
2. Intelligent control system.
3. Drive equipment with low noise
4. Advanced brushless motor and worm wheel reducer are integrated.
5. Special self-locking function without any addition components
6. With different triggered opening modes
7. Double door interlock function
8. Optional backup power supply to ensure the normal operation.
9. When door is closed, it shall be locked and kept closed
10. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
11. To connect with safety and Security system.
12. Easy installation & Easy Maintenance.
13. Track size : 4200mm/6400mm.



GLASS RAILING ACCESSORIES



GLASS LIFTER





CREZOR[®]
ARCHITECTURAL GLASS HARDWARE

Product photos shown in catalogue are only the visual and may be differ from original.
The technical presentation and dimension in illustrations and drawings shown are for reference only.
Pls. refer the original product for toughen glass cutout.